



ALPHABUILD

Built for African Conditions

Innovative roofing systems designed for strength, style, and longevity.

Premium Stone Coated Metal Roofing Solutions

AlphaBuild delivers advanced stone coated metal roofing systems that combine the timeless appearance of traditional roofing with the strength and performance of modern steel technology. Featuring multi-layer protective coatings and premium stone chip finishes, our roofing tiles provide superior weather resistance, exceptional durability, and a service life of more than 50 years.

Designed to perform in diverse African climates, our roofing solutions are lightweight, fire resistant, noise reducing, and available in a variety of profiles and colours to suit residential, commercial, and architectural applications. With quality engineering and reliable performance at their core, AlphaBuild roofing systems offer lasting protection and exceptional value for every build.

AN ALPHA BRANDS PRODUCT RANGE



ALPHABRANDS[®]
BEYOND QUALITY



info@alphaglobalbrands.com | www.alphaglobalbrands.com



Stone Color Metal Roofing Tile Features



50 Years of Life



Anti-Fall Off



Anti- Fading



Hail Protection



Anti-Cracking



Noise Proof




Fire Prevention

Alphabuild Technology

To find our specific sauce beyond our 50 years warranty

The protective layer of aluminum-zinc (55% aluminum, 43.4% zinc and 1.6% silicon) on the steel body. Beautiful basalt stone chips from Italy.

- Anti-fingerprint layer ■
- High-temperature burnt ceramic particle ■
- Exclusive formulation of Acrylic ■
- Steel plate protecting layer ■
- Zinc aluminum plated steel ■
- 0.3–0.5 mm aluminum steel plate ■
- Zinc aluminum plated steel ■
- Protection resistant layer ■



Metal Tile Characteristics

Is modern style your thing?

Light, strong, fully recyclable and gorgeous. ALPHABUILD can be the roof of your dreams. According to your requirements, the combination color type is also accepted.




Fire Resistant

Weakened walls can tolerate lightweight roofs and interlocking tiles result in a strong roof.



Wind & Storm Resistant

Hurricanes are more likely these days but needless to worry under roof!



Snow & Ice Resistant

Its rough texture will not allow snow slides but holds snow in place.



Noise Resistant

The reduced noise impact is the result of our textured, stone chip coated finish.

Stone Coated Metal Roofing Tile


Bond Tile



PRODUCT SPECIFICATION

Tile Size	1340mm × 420mm
Installed Exposure	1270mm × 365mm
Coverage Area	0.47m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Shingle Tile



PRODUCT SPECIFICATION

Tile Size	1340mm × 420mm
Installed Exposure	1270mm × 370mm
Coverage Area	0.48m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Stone Coated Metal Roofing Tile

Roman Tile



PRODUCT SPECIFICATION

Tile Size	1300mm × 420mm
Installed Exposure	1250mm × 365mm
Coverage Area	0.46m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Milano Tile



PRODUCT SPECIFICATION

Tile Size	1350mm × 420mm
Installed Exposure	1270mm × 365mm
Coverage Area	0.47m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Stone Coated Metal Roofing Tile

Wood Grain Tile



PRODUCT SPECIFICATION

Tile Size	1340mm × 420mm
Installed Exposure	1270mm × 370mm
Coverage Area	0.47m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Grouper Tile



PRODUCT SPECIFICATION

Tile Size	1340mm × 420mm
Installed Exposure	1270mm × 370mm
Coverage Area	0.47m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Stone Coated Metal Roofing Tile

Nosen Tile



PRODUCT SPECIFICATION

Tile Size	1340mm × 420mm
Installed Exposure	1270mm × 370mm
Coverage Area	0.47m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Rainbow Tile



PRODUCT SPECIFICATION

Tile Size	1250mm × 420mm
Installed Exposure	1200mm × 365mm
Coverage Area	0.46m ²
Number of Tiles Required	2.16 pcs/m ²
Thickness	0.2mm–0.6mm

Stone Coated Metal Roofing Tile

South African Tile



PRODUCT SPECIFICATION

Tile Size	1720mm × 420mm × 0.4mm
Installed Exposure	1650mm × 370mm
Coverage Area	0.61m ²
Number of Tiles Required	1.6 pcs/m ²
Thickness	0.2mm–0.6mm

Stone Coated Metal Roofing Tile

Lengthened Tile



ROUND LENOVO

Height	860mm
Effective Width	800mm



HOLLOW TILE

Height	890mm
Effective Width	790mm



SKEW-ARC LINKING TILE

Height	1190mm
Effective Width	1100mm



T-TYPE TILE

Height	820mm
Effective Width	760mm

Note: Specifications can be customized. Wave spacing is adjustable, allowing flexible sizing and more convenient construction.

Stone Coated Metal Roofing Tile

Tudor Tile



PRODUCT SPECIFICATION

Tile Size	973mm (Width Customization)
Installed Exposure	905mm (Width Customization)

Bamboo Tile



PRODUCT SPECIFICATION

Tile Size	900mm (Width Customization)
Installed Exposure	800mm (Width Customization)

Stone Coated Metal Roofing Tile

Color Card - Available colour references



W2218



W4718



W2188



W8318



W4218



W9318



W7518



W8418




W7918




W5218



W4618



W7527



W5284



W2252



W5693




W4246


*Colour can be customized.

Stone Coated Metal Roofing Tile


Accessories




Circular Ridge Tile




380 Circular Ridge Tile




Ridge Tile With Angle




Gutter Bed



Cornice




Gable Board




Draining Board




Large Circular Ridge Tile



Ridge Tile With Angle



Flat Sheet I



Flat Sheet II



Nails



Touch-up Kit




Decorative Ornaments

Stone Coated Metal Roofing Tile

Installation Schematic


The installation diagram illustrates the complete roofing system & accessory placement.



Color stone metal tiles are manufactured from high-strength aluminium-zinc plated steel sheets that are treated with a multi-layer protective coating, providing excellent durability and a product lifespan of more than 50 years.

Installation Schematic

The installation guide illustrates the positioning and application of various roofing accessories



The diagrams demonstrate correct installation methods for roof intersections, valleys, ridges, roof edges and flashing details.

Cases for Your Reference

Cases

Showcases completed roofing projects using AlphaBuild Stone Coated Metal Roofing Tiles across various architectural styles.




50-Year Weatherproof Warranty

Alphabuild pressed steel roofs come with a 50-year full weatherproof warranty.




Calculate Senior Engineer Serving For Your Home or Business



Get Support

Calculate Senior Engineer Serving For
Your Home or Business



Get Support

Test Lab and Product Features



1. Rainfall Test Machine

2. UV Lamp Weather Resistant Test Machine

3. Salt Spray Test Machine



4. Metal Material Performance Testing

5. Metal Material Performance Measurement



6. High-Temperature Tester

7. Discoloration Meter

8. Weather Meter




9. Material Physical and Chemical Performance Test

Main Physical Index

Testing Project	Technical Indicators and Test Results
Water Resistance	No Anomalies After 24-hour Test
Heat Resistance	No Abnormalities After 90° Cx5h Test
Low Temperature Resistance	No Anomalies After -40° Cx24h Test
Alkaline Resistance	No Anomalies After 48h Test

Acid Resistance	No Anomalies After 48h Test
Resistance Salt Spray	No Anomalies After 240h Test
Cycle of Freezing & Thawing	No Anomalies After 20 Times Test
Artificial Weathering	No Anomalies After 1000h Test

Certificates & Product Features



FAQs

1. How can I get the samples?

Do not hesitate to contact us. We will send you free samples for confirmation.

2. How many colors do you have?

Please see the color card. If you don't know which one is suitable for your house, you can contact us and let our designer provide professional advice.

Colors can be customized.

3. What's the coverage size of each?

Approximately 0.473 square metres per piece, equivalent to around 5.09 square feet.

4. What thickness options are available?

Available thicknesses include:

- 0.30 mm
- 0.32 mm
- 0.35 mm
- 0.40 mm
- 0.45 mm
- 0.50 mm

5. What's the shipping cost?

Please contact the sales manager to obtain an accurate quotation.

6. Do you have overseas offices or warehouses?

The company has dealers in almost every country. Customers interested in cooperation are encouraged to contact the company.


Metal Insulation Decoration Wall Panel

Colourful Sand Metal Decorative Plate



**Metal Imitation
Stone Wall Plate and
Installation Accessories**

Colourful Stone Metal Wall Panel



No Cleaning Required



Non-Flammable



Prevents Colour Fading



Stylish and Diverse



Quick Installation



Green / Environmentally Friendly



Thermal Insulation



Anti-Ultraviolet



Waterproof and Damp-Proof

PRODUCT SPECIFICATIONS

Product Model: BPU-16

Dimension Length: 3 m


Product Weight: 4.2 kg/m²

Width: 380 mm

Installation Method: Adhesive Anchors / Dry Hanging

Metal Imitation Stone Wall Plate

Installation Accessories




Product Features

Lightweight with good toughness, high flatness and inverted hook-type connection.


Applications

Widely used in villas, hotels, schools and other external wall decoration, especially suitable for the renovation of the old house wall renovation.


Installation




Inside and Outside
Corners



Starting
Piece



Window
Wrapping



Closing & Edging
Components

PRODUCT SPECIFICATIONS

Product Mode	A-05
Dimension Length	2-4 m
Product Weight	6.4 kg/m ²
Width	365 mm
Installation Mode	Dry Hanging



ALPHABRANDS[®]
BEYOND QUALITY

Partner with a Brand That Delivers Real Value

Alpha Brands provides a practical solution in markets where customers are often forced to choose between high prices and inconsistent quality.

By delivering dependable performance at accessible pricing, our product ranges are built to support real demand, repeat purchasing, and long-term growth across multiple categories.

With a growing portfolio, strong product support, and reliable stock availability, Alpha Brands gives partners the confidence to supply, scale, and succeed.

For retailers, wholesalers, and project buyers, this means products that move. For end users, it means products that perform.

Get in Touch:

To learn more about Alpha Brands, explore our product ranges, or to work with us:

Retail partnership enquiries:

info@alphaglobalbrands.com

Customer Care:

customercare@alphaglobalbrands.com

Website:

www.alphaglobalbrands.com

South Africa: Alpha Brands SA PTY

17 Jersey Drive, Longmeadow, Johannesburg
+27 (0)65 725 9085 | +27 (0)67 9127 095

Zambia: Alpha Supply Chain

3rd Floor East Wing, Addis Abba Corporate Block
+260 9797 63007



info@alphaglobalbrands.com | www.alphaglobalbrands.com