

LUMINEX^X

BY ALPHA BRANDS

Luminex Electrical and Lighting Range

Modern Design. Reliable Performance.
Built for Everyday Use.

The Luminex range delivers dependable electrical and lighting solutions designed for both residential and commercial environments. From modern homes to large-scale developments, each product is built to combine clean design, practical functionality, and consistent performance.

From switches and sockets to lighting products and bulbs, Luminex is developed with a strong understanding of how spaces are used, ensuring reliable operation, efficient lighting, and a clean, modern finish across every installation.

Balancing style, durability, and value, the range offers a practical alternative to expensive international brands and low-cost products that fail to perform.

AN ALPHA BRANDS PRODUCT RANGE



ALPHABRANDS[®]
BEYOND QUALITY



Switches And Sockets

V2 Series - Super Flat



Flexible 3/4/6-Gang Frame Options
Diverse Module Choices
BS US CB, BIS, IEC 60669 Standard



White



Grey



Black

Simple assembly for DIY

Function modules can be freely combined,
offering multiple configurations for you to choose from.
The new concept of a personalized home is just this simple.



Assemble it yourself

Choose your modules - we'll take care of the rest.

Module 1



+

Module 2



+

Module 3



+

Module 4



+

Module 5



=

Your Assembled Product



- Includes Frame
- Your Design, Your Layout
- Pick, Click, Done - Fully Customized

Switches And Sockets

V2 Series - Super Flat




PC material

- High quality imported Bayer PC
- Good fineness
- Uniform color
- No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident




U type terminal

U type threads structure with large-diameter terminal can fasten connection



Frame module

It can be taken apart easily to change the design rather than change the whole set



Module structure



Diverse Module Choices

V2 Series - Super Flat

Mix and Match Freely Flexible Frame Options



3 Gang



4 Gang



6 Gang



7 Gang



V2G1Q/1

1m 1 Gang 1 Way
Switch Module

V2G1Q/2

1m 1 Gang 2 Way
Switch Module

Module Type: 1/3



V2G1K/2J-D20

20a Dp Switch
Modular With
Led Light Internal
Connection

Module Type: 1/3



V2GCL

Switch Up-Down

Module Type: 1/3



V2GML

Door Bell Switch
Modular

Module Type: 1/3



V2G1K/2J-D32

Switch 32a Dp

Module Type: 3/3



V2G1K/2J-D45

Switch 45a Dp

Module Type: 3/3



V2GMB

Blank

Module Type: 1/3



V2G2K/1

Switch 10a Double

Module Type: 1/3

V2 Series - Super Flat



V2G162
2 Pin Socket
Modular

Module Type: 1/3



V2G162E
Switch 10a Double

Module Type: 1/3



V2G163DGN
Universal Socket
Modular With
Spring(Black) - 16 A

Module Type: 2/3



V2I62DS
Choco16A

Module Type: 2/3



V2G1633MSB
Socket Double Flat
15a

Module Type: 3/3



V2G1633MS
Switch
45ADPSwitch 16A
DP

Module Type: 3/3



V2G163YDL
Socket 16A

Module Type: 1/3



V2GUSB+C
Usb Type A+C
Module
20w Fast Charging
5v 2.1a
Module Type: 2/3



V2GTS
Reguiater-fan
300w

Module Type: 2/3



V2GTG
Dimmer 300w

Module Type: 2/3



V2GHW/Y
Switch
Humminductor
60w
Module Type: 2/3



V2GDD
Electronic Door-
Bell 60w

Module Type: 2/3

V2 Series - Super Flat



V2GDN-6
Socket data

Module type: 1/3



V2GDH
Socket telephone

Module type: 1/3



V2GTV
Socket satellite

Module type: 1/3



V2GWXTV
1M satellite TV
socket module

Module type: 1/3



V2GYJD
Emergency light

Module type: 3/3



V2GDJ/P-3K
Floor lamp – white
V2GDJ/P-7K
Floor lamp – white

Module type: 2/3



V2GSGK/Y
Switch sound

Module type: 2/3



V2GCM
Switch touch delay

Module type: 2/3




Water proof box
Suitable for 3 way switch socket




V2 Series - Super Flat

Technical Specification




3 Gang Chassis

Module: Can Put 3 Module Max
Chassis (3 Gang)




4 Gang Chassis

Module: Can Put 4 Module Max
Chassis (4 Gang)



6 Gang Chassis


Module: Can Put 6 Module Max
Chassis (6 Gang)



7 Gang Chassis


Module: Can Put 7 Module Max
Chassis (7 Gang)

Modular Size




Module Type 1/3

Material: PC
Size: 45 mm × 22.5 mm
Module type: 1/3



Module Type 2/3

Material: PC
Size: 45 mm × 45 mm
Module type: 2/3



Module Type 3/3

Material: PC
Size: 45 mm × 67.5 mm
Module type: 3/3

B8 Series - Super Slim



White



Grey



Gold




Black

B8 Series - Super Slim




Frame module

It can be taken apart easily to change the design rather than change the whole set



U type terminal

U type threads structure with large-diameter terminal can fasten connection



Bronze conduction

One-time finished tin-phosphor bronze metal part. Strong resilience. Resistance to wear. Lifetime 1.5 times longer than product itself




PC material

- High quality imported Bayer PC
- Good fineness
- Uniform color
- No color change for 10 years



Children safety guard

Safety guard set inside to protect children from electric shock accident



Access port

Easy to put in 3pcs of wires
Convenience for installation



B8 Series - Super Slim

Switches



Power: 16AX 250V~
B810/1 – 1 gang 1 way switch
B810/2 – 1 gang 2 way switch
B8DK – 1 gang Multi-point Control Switch



Power: 16AX 250V~
B820/1 – 2 gang 1 way switch
B820/2 – 2 gang 2 way switch
B8DK2 – 2 gang Multi-point Control Switch



Power: 16AX 250V~
B830/1 – 3 gang 1 way switch
B830/2 – 3 gang 2 way switch



Power: 16AX 250V~
B840/1 – 4 gang 1 way switch
B840/2 – 4 gang 2 way switch



Power: 16A 250V~
B8ML – Door bell



Power: 250V~
B81K/2J-D32 – 1 Gang 32A DP Switch
B81K/2J-D45 – 1 Gang 45A DP Switch



Power: 13A 250V~
B81K/2J3F-13 – 1 gang 13A DP switched socket



Power: 13A 250V~ / USB PD18W
B81K/2J3FUSB-C-13 – 1 gang 13A single pole socket with USB Type-C fast charger



Power: 45A 250V~
B8YTH-CF – 45A switch with 13A socket for kitchen unit



Power: 13A 250V~ / USB PD18W
B82K/3F2TU-13 – 2 gang 13A single pole socket with USB Type-C fast charger

B8 Series - Super Slim

Sockets & USB



Power: N/A
B8HU – HDMI +
USB Socket



Power: PD 65W
B8TU – 2 gang USB
& Type-C socket PD
65W



Power: 220V~ 5W
B8VL – Volume
Controller



**Power: 220V~ LED
≤100W**
B8TG/T – Dimmer
switch (LED load/
Silicon controlled)



**Power: 220V~
250W**
B8TS – Rotatable
Fan Dimmer
Switch



Power: LED ≤50W
B8SGK/Y – Acoustic
light switch (two
lines)



Power: 5–850MHz
B8XTV-45 – 45°
Satellite TV Socket



Power: LED ≤60W
B8HW/Y – PIR motion
sensor switch



Power: 13A 250V~ / USB PD18W
B82K/3F2TU-13 – 2 gang 13A single pole socket
with USB Type-C fast charger



Power: 45A 250V~ 5V 2.1A~
B8JXZ-45 – 45A cable outlet

B8 Series - Super Slim

Television, Data & Telephone



Power: 5-850MHz
Power: RJ11/4Wire
B8WXTV/DH
– Television &
Telephone socket



Power: RJ45 Cat6
Power: 5-850MHz
B8WXTV/DN-6
– Television &
Computer socket



Power: RJ45 Cat6
B8DN-6 – 1 way
computer socket



Power: RJ11/4Wire
B8DH – 1 way
telephone socket



Power: RJ11/4Wire
+ RJ45 Cat6
B8DH/DN-6 –
Telephone &
computer socket



Power: RJ11/4Wire
B8DH/2 – 2 way
telephone socket



Power: RJ45 Cat6
B8DN/2 – 2 way
computer socket



Power: N/A
B8MB – Front-plate

Universal & International Sockets



Power: 16A 250V~
2 & 3 Pins Universal Switched Socket



Power: 16A 250V~
1 Gang Universal Switched Socket



Power: 16A 250V~
2 gang 13A universal switched socket with
indicator

B8 Series - Super Slim

Universal & International Sockets



Power: 16A 250V~
2 & 3 Pins Universal
Switched Socket



Power: 16A 250V~
1 Gang Universal
Switched Socket



Power: 16A 250V~
Universal Switched
Socket with USB-C



Power: 16A 250V~
6A + 16A three pin
socket and big
switch



Power: 6A 250V~
6A three pin socket
USB+C and big
switch



Power: 6A 250V~
6A three pin socket
and big switch




Power: 16A 250V~
16A three pin
socket and big
switch

Mounting Plates






Two gang mounting plate



Three gang mounting plate

B9 Series - Glass Series



B9 Series - Glass Series

Switches



Power: 16AX 250V~
B910/1 – 1 gang 1 way switch
B910/2 – 1 gang 2 way switch
B9DK – 1 gang Multi-point Control Switch



Power: 16AX 250V~
B920/1 – 2 gang 1 way switch
B920/2 – 2 gang 2 way switch
B9DK2 – 2 gang Multi-point Control Switch



Power: 16AX 250V~
B930/1 – 3 gang 1 way switch
B930/2 – 3 gang 2 way switch



Power: 16AX 250V~
B940/1 – 4 gang 1 way switch
B940/2 – 4 gang 2 way switch



Power: 16A 250V~
B9ML – Door bell



Power: 250V~
B91K/2J-D32 – 1 Gang 32A DP Switch
B91K/2J-D45 – 1 Gang 45A DP Switch

Sockets & USB



Power: 13A 250V~
B91K/2J3F-13 – 1 gang 13A DP switched socket



Power: 13A 250V~ / USB PD18W
B91K/2J3FUSB-C-13 – 1 gang 13A single pole socket with USB + Type-C fast charger



Power: 45A 250V~
B9YTH-CF – 45A switch with 13A socket for kitchen unit



Power: 13A 250V~
B92K/2J3F2-13 – 2 gang 13A DP switched socket

B9 Series - Glass Series

Multimedia & Controls



Power: N/A
B9HU – HDMI +
USB Socket



Power: PD 65W
B9TU – 2 gang USB
& Type-C socket PD
65W



Power: 220V~ 5W
B9VL – Volume
Controller



**Power: 220V~ LED
≤100W**
B9TG/T – Dimmer
Switch (LED load/
Silicon controlled)



**Power: 220V~
250W**
B9TS – Rotatable
Fan Dimmer
Switch



Power: LED ≤50W
B9SGK/Y – Acoustic
light switch (two
lines)



Power: 5–850MHz
B9WXTV-45 – 45°
Satellite TV Socket



Power: LED ≤60W
B9HW/Y – PIR
motion sensor
switch

Sockets & USB



Power: 16A 250V~ / USB PD18W
B92K/SP2TU-13 – 2 gang 13A single pole
socket with USB + Type-C fast charger



Power: N/A
B9MB – Front plate

B9 Series - Glass Series

Television, Data & Telephone



Power: 5-850MHz
Power: RJ11/4Wire
B9WXTV/DH
– Television &
Telephone socket



Power: RJ45 Cat6
Power: 5-850MHz
B9WXTV/DN-6
– Television &
Computer socket



Power: RJ45 Cat6
B9DN-6 – One way
computer socket



Power: RJ11/4Wire
B9DH – 1 way
telephone socket



Power: RJ11/4Wire
+ RJ45 Cat6
B9DH/DN-6 –
Telephone &
computer socket



Power: 6A 250V~
6A three pin socket
and big switch



Power: 16A 250V~ /
USB PD18W
B92K/SP2TU-13 – 2
gang 13A single
pole socket with
USB + Type-C fast
charger



Power: 16A 250V~
6A + 16A three pin
socket and big
switch

Mounting Plates



Two gang mounting plate



Three gang mounting plate


K11 Series - Stainless Steel Series

Ultra-thin metal socket




3.5 mm Ultra-thin

It fits seamlessly into the walls



Metal Material

Stainless steel material is not easy to deform. Durable. Scratch resistant.



Bronze Conduction

One-time finished tin-phosphor bronze metal part. Strong resilience. Resistance to wear. Lifetime 1.5 times longer than the product itself



Golden



Bronze



Stainless Steel



Black

K11 Series - Stainless Steel Series

Switches



Power: 16AX 250V~
K1110Y/2 – 1 gang 2
way switch
K111ML – Door bell



Power: 16AX 250V~
K1120/2Y – 2 gang 2
way switch



Power: 16AX 250V~
K1130/2Y – 3 gang 2
way switch



Power: 16AX 250V~
K1140/2Y – 4 gang 2
way switch (86)

Sockets & USB



Power: CAT 6
K11DN – 1 way
computer socket



Power: RJ11
K11DH – 1 way
telephone socket



Power: CAT 6
K11DN/2 – 2 way
computer socket



Power: RJ11, RJ45
K11DH/DN –
Telephone &
computer socket



**Power: 5–850MHz,
RJ11**
K11TV/DN –
Television &
Telephone socket



Power: N/A
K11HDMI – HDMI
Socket



Power: N/A
K11HDMI/2 – Energy
Saving Card Switch



Power: N/A
K11TG/T – Fan speed
controller / Light
dimmer



Power: 16AX 250V~
K112K4Q/2Y – 4 gang 2 way switch (146)

K11 Series - Stainless Steel Series

Sockets & USB



Power: 13A 250V~ / 5V 2.1A

K112K/2J3FUSB+C-13 – One gang 13A 3 pin switched socket + USB + C



Power: 45A 250V~

K11YTH-CF – 45A switch with 13A socket for kitchen unit



Power: 13A 250V~

K112K/2J3F2-13 – 2 gang 13A DP switched socket



Power: N/A

K11MB2 – Blank plate 3x6



Power: N/A

K11MB – Blank plate 3x3



Power: 13A 250V~

K111K/2J3F-13 – 1 gang 13A 3 pin switched socket



Power: 13A 250V~ / 5V 2.1A

K112K/2J3FUSB+ C-13 – One gang 13A 3 pin switched socket + USB + C



Power: 20A 250V~

K111K/2J-20 – 1 Gang 20A DP Switch



Power: 45A 250V~

K111K/2J-45 – 1 Gang 45A DP Switch



Power: 16A 250V~

1 Gang Universal Switched Socket with Indicator



Power: 16A 250V~ / 5V 2.1A

1 Gang Switched Universal Socket with USB + C



Power: 5-1000MHz

K11XTV – Satellite TV Socket



Power: CAT 6

K11DJ.GD – One gang footlight with infrared sensor



Power: 5-1000MHz

1 Gang 16A Switched Socket

K2 Series - Standard Series



White



Grey



Gold



Black

K2 Series




Frame Module

It can be taken apart easily to change the design rather than change the whole set.



U Type Terminal

U type threads structure with large-diameter terminal can fasten connection.



Bronze Conduction

One-time finished tin-phosphor bronze metal part. Strong resilience. Resistance to wear. Lifetime 1.5 times longer than the product itself.



PC Material

- High quality imported Bayer PC
- Good fineness
- Uniform color
- No color change for 10 years



Children Safety Guard

Safety guard set inside to protect children from electric shock accident.



Access Port

Easy to put in 3 pcs of wires. Convenient for installation.



Bigger panel
Product size: 86 × 86 mm

K11 Series - Stainless Steel Series

Switches



Power: 16AX 250V~
K2.01Q/1Y – 1 Gang 1
Way Switch
K2.01Q/2Y – 1 Gang
2 Way Switch
K2.0DK – 1 Gang
Multi-point Control
Switch




Power: 16AX 250V~
K2.02Q/1Y – 2 Gang
1 Way Switch
K2.02Q/2Y – 2 Gang
2 Way Switch
K2.0DK2 – 2 Gang
Multi-point Control
Switch



Power: 16AX 250V~
K2.03Q/1Y – 3 Gang
1 Way Switch
K2.03Q/2Y – 3 Gang
2 Way Switch



Power: 16AX 250V~
K2.04Q/1Y – 4 Gang
1 Way Switch
K2.04Q/2Y – 4 Gang
2 Way Switch



Power: 16A 250V~
K2.0ML – Door Bell



Power: 16AX 250V~
K2.0MH/2 – “DON’T
DISTURB” &
“MAKE UP ROOM”
Indicator Bell
Switch



Power: 250V~
K2.01K/2J-D20 – 1
Gang 20A DP
Switch
K2.01K/2J-D32 – 1
Gang 32A DP
Switch
K2.01K/2J-D45 – 1
Gang 45A DP
Switch

K11 Series - Stainless Steel Series

Data, TV & Telephone



Power: 5-850MHz / RJ11 4 Wire
K2.0WXTV/DH
– Satellite TV & Telephone Socket



Power: RJ45 Cat6 / 5-850MHz
K2.0WXTV/DN-6
– Satellite TV & Computer Socket



Power: RJ45 Cat6 / 5-850MHz
K2.0TV/DN-6
– Television & Computer Socket



Power: 5-850MHz / RJ11 4 Wire
K2.0TV/DH –
Television & Telephone Socket



Power: RJ45 Cat6 / RJ11 4 Wire
K2.0DH/DN
– Television & Computer Socket



Power: 5-850MHz
K2.0WXTV –
Satellite Television Socket
K2.0KPTV – F-type
Satellite Socket
K2.0KPTV/1 –
Secondary F-type
Satellite Socket



Power: <5-850MHz
K2.03TV – 1 Way
Television Socket



Power: RJ45 Cat6
K2.0DN – 1 Way
Computer Socket



Power: RJ11 4 Wire
K2.0DH – 1 Way
Telephone Socket

K2 Series

Sockets



Power: 16A 250V~
K2.01633MS – 2
Gang US Socket



Power: 16A 250V~
K2.01633MS – 1
Gang US Socket



Power: 13A 250V~
K2.01K/3F-D13 – 1
Gang 13A Switched
Socket with
Indicator
K2.01K/2J3F-D13
– 1 Gang 13A DP
Switched Socket
with Indicator



Power: 16A 250V~
K2.01K/3Y-D16 – 1
Gang 16A Switched
Socket with
Indicator



Power: 16A 250V~
K2.01K/2YDGN-D16
– 2 Gang 2&3 Pin
Universal Switched
Socket with
Indicator



Power: 16A 250V~
K2.0K/DGN-D16 – 1
Gang Universal
Switched Socket
with Indicator



**Power: 16A 250V~
5V 2.1A**
K2.01K/
DGNUSB2-D16 – 1
Gang Switched
Universal Socket
with 2 USB Ports



Power: 16A 250V~
K2.0DGN – 1 Gang
Switched Universal
Socket

Multimedia Sockets



Power: 16A 250V~
K2.0162DS – 1 Gang
Germany Socket



Power: N/A
K2.0FHU – HDMI +
USB Socket (USB
for data transfer)



Power: N/A
K2.0FV – VGA + F3.5
Socket



**Input: 220V~
Output: PD20W**
1 Gang USB +
Type-C Socket



**Input: 10A 220V~
Output: PD20W**
2 Gang USB +
Type-C Socket

K2 Series

Controls & Sensors



**Power: 220V~ LED
≤100W**
K2.0TG/T –
Rotatable Dimmer
Switch



**Power: 220V~
≤250W**
K2.0TS – Fan Speed
Controller Switch



Power: 3A
K2.0BJ – Alarm
Press Button
Switch



Power: LED ≤60W
K2.0HW/Y – PIR
Motion Sensor
Switch



Power: LED ≤60W
K2.0SGK/Y –
Acoustic Light
Switch

Energy Saving Switches



Power: 30A 220V~
K2.0JK – RF Energy Saving Card Switch
K2.0JK/G – High Frequency IC Card Switch
K2.0JK/D – Low Frequency IC Card Switch

K2 Series

Accessories



Power: N/A

K2.0286TB – One-piece frame assembly
(can be installed horizontally or vertically)



Power: N/A

K2.0386TB – One-piece frame assembly
(can be installed horizontally or vertically)



Power: N/A

K2.0486TB – One-piece frame assembly
(can be installed horizontally or vertically)



Power: N/A

K2.0386TB – One-piece frame assembly
(can be installed horizontally or vertically)



Power: N/A


K2.0MB – Front
Plate

K3 Series - Super Flat Series



Elegant Design Excellent Quality Super Flat Big Key Switch with Multiple Socket

Four colour White, Gold, Grey, Black for options
BS, US, CB, BIS, IEC 60669 Standard
High quality PC materials
Flame resistance
High strength
Not easy to fade
Pure copper, brass, with iron frame for firm installation
With electric shock protection



**Short Circuit
Protection**



**Overheat
Protection**




**Overcurrent
Protection**



**Overvoltage
Protection**




**Protection
Against Electric
Shock**



White



Grey



Gold



Black

K3 Series - Super Flat Series




Frame Module

It can be taken apart easily to change the design rather than change the whole set.



U Type Terminal

U type threads structure with large-diameter terminal can fasten connection.



Bronze Conduction

One-time finished tin-phosphor bronze metal part. Strong resilience. Resistance to wear. Lifetime 1.5 times longer than the product itself.



PC Material

- High quality imported Bayer PC
- Good fineness
- Uniform color
- No color change for 10 years



Children Safety Guard

Safety guard set inside to protect children from electric shock accident.



Access Port

Easy to put in 3 pcs of wires. Convenient for installation.



K3 Series - Super Flat Series

Switches



Power: 16AX 250V~
K310/1Y – 1 Gang 1 Way Switch
K310/2Y – 1 Gang 2 Way Switch
K3DK – 1 Gang Multi-point Control Switch



Power: 16AX 250V~
K320/1Y – 2 Gang 1 Way Switch
K320/2Y – 2 Gang 2 Way Switch
K3DK2 – 2 Gang Multi-point Control Switch



Power: 16AX 250V~
K330/1Y – 3 Gang 1 Way Switch
K330/2Y – 3 Gang 2 Way Switch



Power: 16AX 250V~
K340/1Y – 4 Gang 1 Way Switch
K340/2Y – 4 Gang 2 Way Switch



Power: 16A 250V~
K3ML – Door Bell Switch



Power: 16AX 250V~
K3MH/2 – “DON’T DISTURB” & “MAKE UP ROOM” Indicator Bell Switch

DP Switches & USB Sockets



Power: 250V~
K31K/2J-D20 – 1 Gang 20A DP Switch
K31K/2J-D32 – 1 Gang 32A DP Switch
K31K/2J-D45 – 1 Gang 45A DP Switch



Power: 13A 250V~
K31K/3FUSB-C-13 – 1 Gang 13A Single Pole Socket with USB + Type-C

K3 Series - Super Flat Series

US & Universal Sockets



Power: 16A 250V~
K3163MS – 2 Gang
US Socket



Power: 16A 250V~
K3163MS – 1 Gang
US Socket




Power: 16A 250V~
K31K/DGN-D16 – 1
Gang Universal
Switched Socket
with Indicator



Power: 16A 250V~
K31K/DGNUSB2-D16
– 1 Gang Switched
Universal Socket
with 2 USB Ports



Power: 16A 250V~
K31K/3Y-D16 – 1
Gang 16A Switched
Socket with
Indicator



Power: 16A 250V~
K31K/2YDGN-D16
– 2 Gang 2&3 Pin
Universal Switched
Socket with
Indicator




Power: 16A 250V~
K32YDGNUSB2-D16
– 2 & 3 Pin Universal
Socket with
Indicator and
Double USB 2.1A



Power: 16A 250V~
K3162DS – 1 Gang
Germany Socket

13A Switched Sockets



Power: 13A 250V~
K31K/3F-13 – 1 Gang
13A Switched
Socket with
Indicator
K31K/2J3F-13 – 1
Gang 13A DP
Switched Socket
with Indicator



Power: 13A 250V~
K31K/3F-D13 – 1
Gang 13A Switched
Socket with
Indicator
K31K/2J3F-D13
– 1 Gang 13A DP
Switched Socket
with Indicator

K3 Series - Super Flat Series

Special Sockets & Controls



Power: 16A 250V~
K3162K – 1 Gang
13A Double 2 Pin
Switched Socket



**Power: 220V
≤100W**
K31K/TS – 1 Gang
Fan Speed
Controller Switch



Power: 6A 250V~
6A Three Pin
Socket with USB +
C and Big Switch



Power: 16A 250V~
6A + 16A Three Pin
Socket and Big
Switch



Power: 16A 250V~
6A Three point
Socket With
Indicator and big
Switch

13A & 45A Switched Sockets



Power: 13A 250V~
K32K/3F2-D13 – 2
Gang 13A Switched
Socket with
Indicator
K32K/2J3F2-D13
– 2 Gang 13A DP
Switched Socket
with Indicator



Power: 45A 250V~
K3YTH-CF – 45A
Switch with 13A
Socket for Kitchen
Unit



**Power: 13A 250V~
+ 5V 3A / 2.1A**
K32K/
DGNUSB2-D13 – 2
Gang 13A Universal
Switched Socket
with Indicator and
2 USB



Power: 13A 250V~
K32K/DGN-D13 – 2
Gang 13A Universal
Switched Socket
with Indicator



Power: 13A 250V~
K32K/3F2-13 – 2
Gang 13A DP
Switched Socket
K32K/2J3F2-13 –
2 Gang 13A DP
Switched Socket



**Power: 13A 250V~
/ 2.1A**
K32K/3F2USB-C-13 –
2 Gang Single Pole
Switched Socket
with USB + Type C



Power: 45A 250V~
K3JXZ-45 – 45A
Cable Outlet



Power: PD20W
K31K/3FUSB+C-B13
– 1 Gang 13A Single
Pole Socket with
USB + Type C

K3 Series - Super Flat Series

TV, Telephone & Data Sockets



Power: 5-850MHz
K3TV - 1 Way
Television Socket
K3KPTV - F Type
Satellite Socket
K3KPTV/1 -
Secondary F Type
Satellite Socket



Power: N/A
K3WXTV - 1 Gang
Satellite TV Socket



Power: RJ11/4 Wire
K3DH - 1 Way
Telephone Socket



Power: RJ45 CAT6
K3DN - 1 Way
Computer Socket



**Power: 5-850MHz /
RJ11/4 Wire**
K3TV/DH -
Television &
Telephone Socket



**Power: 5-850MHz /
RJ45 CAT6**
K3TV/DN -
Television &
Computer Socket



**Power: RJ11/4 Wire
+ RJ45 CAT6**
K3DH/DN -
Telephone &
Computer Socket



**Power: 5~850MHZ
RJ45 CAT6**
K3TV/DN -
Telephone &
Computer Socket



**Power: RJ11/4 Wire
RJ45 CAT 6**
K3DH/DN -
Television &
Telephone Socket

K3 Series - Super Flat Series

Controllers & Multimedia Modules



**Power: 220V
≤250W**
K3STS – Fan Speed
Controller Switch



Power: 5W
K3VM – Volume
Switch



Power: N/A
K3FHU – HDMI +
USB Socket



Power: N/A
K3FV – VGA + F3.5
Socket



Power: <30V
K33R – 3 RCA
Socket



Power: LED <100W
K3TG – Rotatable
LED Light Dimmer
Switch



**Power: 220V~
50/60Hz LED
<60W**
K3HW/Y – PIR
Motion Sensor
Switch

K3 Series - Super Flat Series

Special Function Modules



Power: 220V~ 50/60Hz
K3SGK/Y – Acoustic Light Switch



Power: 16A 250V~
K3JK – Energy Saving Card Switch RF
K3JK/G – High Frequency IC Card Switch
K3JK/D – Low Frequency IC Card Switch



Power: 1A 220V~
K3ML/S – “DON'T DISTURB” Indicator Bell Switch



Power: 1A 220V~
K3ML/S2 – “DON'T DISTURB” & “MAKE UP ROOM” Indicator Bell Switch



Power: 1A 220V~
K3ML/S3 – “DON'T DISTURB”, “MAKE UP ROOM” & “WAIT A MOMENT” Indicator Bell Switch



Power: 10A 220V~
K3DD – Ding Dong Door Bell



Power: N/A
K3BJ – Alarm Press Button Switch



Power: 220V~ 50/60Hz LED <60W
K3HW/Y – PIR Motion Sensor Switch

Other Modules



Power: N/A
K3FS – French Socket



Power: N/A
K3MB – Front Plate



Power: N/A
K3MB2 – 146 Front Plate



Power: 16A 250V~
K32K/
DGNUSB+C-D13 – 2 Gang 13A Universal Switched Socket with Indicator and USB + Type C

Leakage Circuit Breaker

1P / 2P / 3P / 4P

6A, ---63A MAX




Overload Protection



Short circuit protection



Leakage protection



LONON
LNL2-220
C20
230V~
50Hz
6300A
GB/T 16917.1
IEC 61008-1

ON
OFF

Press once/month

$I_{\Delta n} = 0.03A$
 $t \leq 0.1S$

Please press the button before closing

LUMINEX



Quick Break



Short circuit protection




Flame retardant material



CE certification

Leakage Circuit Breaker



MCB

Leakage Protect Breaker

Kitchen

Bedroom

Balcony

Other

LUMINEX

Multiple models to meet your family needs

1P / 2P / 3P / 4P

6A, ---63A MAX



**Low voltage
Circuit breaker**



**Leakage circuit
breaker**

Low voltage Circuit breaker

Red and green indicated
Avoid operating errors
by visual window




Red power on

Green power off



Switch down
Power Off



Switch up
Power On



Power: 230/400V 50Hz 6000A

2P Miniature Circuit Breaker

LNK2-C206 : 2P Miniature Circuit Breaker 6A
LNK2-C210 : 2P Miniature Circuit Breaker 10A
LNK2-C216 : 2P Miniature Circuit Breaker 16A
LNK2-C220 : 2P Miniature Circuit Breaker 20A
LNK2-C225 : 2P Miniature Circuit Breaker 25A
LNK2-C232 : 2P Miniature Circuit Breaker 32A
LNK2-C240 : 2P Miniature Circuit Breaker 40A
LNK2-C250 : 2P Miniature Circuit Breaker 50A
LNK2-C263 : 2P Miniature Circuit Breaker 63A



Power: 400V 50Hz 6000A

LNK2-C306 : 3P Miniature Circuit Breaker 6A
LNK2-C310 : 3P Miniature Circuit Breaker 10A
LNK2-C316 : 3P Miniature Circuit Breaker 16A
LNK2-C320 : 3P Miniature Circuit Breaker 20A
LNK2-C325 : 3P Miniature Circuit Breaker 25A
LNK2-C332 : 3P Miniature Circuit Breaker 32A
LNK2-C340 : 3P Miniature Circuit Breaker 40A
LNK2-C350 : 3P Miniature Circuit Breaker 50A
LNK2-C363 : 3P Miniature Circuit Breaker 63A




Power: 400V 50Hz 6000A


LNK2-C406: 4P Miniature Circuit Breaker 6A
LNK2-C410: 4P Miniature Circuit Breaker 10A
LNK2-C416: 4P Miniature Circuit Breaker 16A
LNK2-C420: 4P Miniature Circuit Breaker 20A
LNK2-C425: 4P Miniature Circuit Breaker 25A
LNK2-C432: 4P Miniature Circuit Breaker 32A
LNK2-C440: 4P Miniature Circuit Breaker 40A
LNK2-C450: 4P Miniature Circuit Breaker 50A
LNK2-C463: 4P Miniature Circuit Breaker 63A

Low voltage Circuit breaker


Product Size




Leakage Circuit breaker



7N.m High Torque
Safe and convenient



**T2 Copper Material is Used
for the Energized Circuit**
Effectively improve safety
and bid farewell to household
electricity hazards.



**The Shell is Made of
Reinforced Polyamide**
The shell protection is IP20,
and it is resistant to high
temperatures, effectively
improving safety.

Leakage Circuit breaker




1P+N Earth Leakage Circuit Breaker Power: 230V 50Hz 6000A

LNL2-106N : 1P+N Earth Leakage Circuit Breaker 6A
LNL2-110N : 1P+N Earth Leakage Circuit Breaker 10A
LNL2-116N : 1P+N Earth Leakage Circuit Breaker 16A
LNL2-120N : 1P+N Earth Leakage Circuit Breaker 20A
LNL2-125N : 1P+N Earth Leakage Circuit Breaker 25A
LNL2-132N : 1P+N Earth Leakage Circuit Breaker 32A
LNL2-140N : 1P+N Earth Leakage Circuit Breaker 40A
LNL2-150N : 1P+N Earth Leakage Circuit Breaker 50A
LNL2-163N : 1P+N Earth Leakage Circuit Breaker 63A



2P Earth Leakage Circuit Breaker Power: 230V 50Hz 6000A

LNL2-206 : 2P Earth Leakage Circuit Breaker 6A
LNL2-210 : 2P Earth Leakage Circuit Breaker 10A
LNL2-216 : 2P Earth Leakage Circuit Breaker 16A
LNL2-220 : 2P Earth Leakage Circuit Breaker 20A
LNL2-225 : 2P Earth Leakage Circuit Breaker 25A
LNL2-232 : 2P Earth Leakage Circuit Breaker 32A
LNL2-240 : 2P Earth Leakage Circuit Breaker 40A
LNL2-250 : 2P Earth Leakage Circuit Breaker 50A
LNL2-263 : 2P Earth Leakage Circuit Breaker 63A




3P Earth Leakage Circuit Breaker Power: 400V 50Hz 6000A

LNL2-306 : 3P Earth Leakage Circuit Breaker 6A
LNL2-310 : 3P Earth Leakage Circuit Breaker 10A
LNL2-316 : 3P Earth Leakage Circuit Breaker 16A
LNL2-320 : 3P Earth Leakage Circuit Breaker 20A
LNL2-325 : 3P Earth Leakage Circuit Breaker 25A
LNL2-332 : 3P Earth Leakage Circuit Breaker 32A
LNL2-340 : 3P Earth Leakage Circuit Breaker 40A
LNL2-350 : 3P Earth Leakage Circuit Breaker 50A
LNL2-363 : 3P Earth Leakage Circuit Breaker 63A



3P+N Earth Leakage Circuit Breaker Power: 400V 50Hz 6000A

LNL2-306N : 3P+N Earth Leakage Circuit Breaker 6A
LNL2-310N : 3P+N Earth Leakage Circuit Breaker 10A
LNL2-316N : 3P+N Earth Leakage Circuit Breaker 16A
LNL2-320N : 3P+N Earth Leakage Circuit Breaker 20A
LNL2-325N : 3P+N Earth Leakage Circuit Breaker 25A
LNL2-332N : 3P+N Earth Leakage Circuit Breaker 32A
LNL2-340N : 3P+N Earth Leakage Circuit Breaker 40A
LNL2-350N : 3P+N Earth Leakage Circuit Breaker 50A
LNL2-363N : 3P+N Earth Leakage Circuit Breaker 63A




4P Earth Leakage Circuit Breaker Power: 400V 50Hz 6000A

LNL2-406 : 4P Earth Leakage Circuit Breaker 6A
LNL2-410 : 4P Earth Leakage Circuit Breaker 10A
LNL2-416 : 4P Earth Leakage Circuit Breaker 16A
LNL2-420 : 4P Earth Leakage Circuit Breaker 20A
LNL2-425 : 4P Earth Leakage Circuit Breaker 25A
LNL2-432 : 4P Earth Leakage Circuit Breaker 32A
LNL2-440 : 4P Earth Leakage Circuit Breaker 40A
LNL2-450 : 4P Earth Leakage Circuit Breaker 50A
LNL2-463 : 4P Earth Leakage Circuit Breaker 63A

Leakage Circuit breaker

Product Size




breadth (mm)	specification				
	1P+N	2P	3P	3P+N	4P
L1	36±0.50	36±0.50	49.5±0.50 ±.00,500.00.0.50	63±0.60	63±0.60
Lmax	54	72	104	117	135

Power Strip

Wireless Power Strip with USB
Products pass SQM,SASO



Power Strip



Premium Features

Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With overload protection



Safety & Construction Features


One-button dual-pole master control for safer operation
Switch TUV certified



Child-proof protection gates
Stops accidental insertion and shocks



Flame-retardant PC material
Resistant to 850°C high temperature



TPC-3F3-USB/15-WH
Power: 15W



TPC-3F3-USB/20-WH
Power: PD20W



TPC-3F3-USB/20-GY
Power: PD20W



TPC-3F3-USB/15-GY
Power: 15W

Power Strip



Products pass SQM, SASO

- With double pole switch, mechanical press type
- PC materials, skin matte touch feeling
- Cable length 2/5m for options, cable pass certificate




XPC-3F6-USB/65-WH
Power: PD65W




XPC-3F6-USB/65-GY
Power: PD65W

Power Strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks




Base with 10 soft silicone anti-slip points for high-efficiency grip.


Power Strip



Power Strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks



Base with 4 soft silicone anti-slip points for high-efficiency grip.



LPC-3F6-USB/65-WH
Power: PD65W




LPC-3F6-USB/65-GY
Power: PD65W

Power Strip




Products pass SQM, SASO


- With double pole switch, Mechanical press type
- PC materials, Skin maat touch feeling
- Cable length 2/5m for opeitons ,cable pass certificate




Power Strip



Premium 0.7mm thickened copper pathways for cooler operation



GCC/SASO-certified solid copper pin plug



With Overload protection



One-button dual-pole master control for safer operation - switch TUV certified



Child-proof protection gates - stops accidental insertion and shocks




Base with 4 soft silicone anti-slip points for high-efficiency grip.

Power Strip




Power Strip



XPC-3F4-USB/20-WH
Power: PD20W



XPC-3F4-USB/20-GY
Power: PD20W



XPC-3F4-USB/15-WH
Power: 15W



XPC-3F4-USB/15-GY
Power: 15W





Reliable Electrical and Lighting for Every Space

Luminex is designed to support both electrical installation and lighting requirements in one reliable range. Whether for residential builds, commercial fit-outs, or ongoing maintenance, the products are built to deliver consistent performance and a clean, modern result that end users can rely on every day.

For contractors and project managers, this means dependable installation across switches, sockets, and lighting. For retailers and wholesalers, it offers a versatile range that supports repeat purchasing across multiple customer segments. For homeowners and businesses, it provides durable, modern electrical and lighting solutions that perform consistently over time.

Get in Touch

Learn more about the Luminex range, explore product options, or become a retail partner:

Retail partnership enquiries:

info@alphaglobalbrands.com

Customer Care:

customercare@alphaglobalbrands.com

Website:

www.alphaglobalbrands.com

South Africa: Alpha Brands SA PTY

17 Jersey Drive, Longmeadow, Johannesburg
+27 (0)65 725 9085 | +27 (0)67 9127 095

Zambia: Alpha Supply Chain

3rd Floor East Wing, Addis Abba Corporate Block
+260 9797 63007

